

3005020033

## MB-30G

Gooseneck Microphone



AlphaCom



Exigo



EN54-16 Certified




### DESCRIPTION

- Electret Gooseneck Microphone
- 5-pin DIN plug
- For use in Public Address and Talk-Back Systems

SPECIFICATIONS

GENERAL	
Manufacturer	Paso
Type	Electret
Art.no	MB-30G
Impedance	680 ohm
Freq.response	100 - 20000 Hz
Sensitivity	4mv/Pa
Supply	1.1-9 V
Front rear ratio	10 dB
Length	446 mm
Plug	5 pole DIN
Windscreen	Detachable sponge windscreen
Weight	0.1 kg
IP Rating	IP-32
Operating temperature	-15°C to +55°C

TECHNICAL DIMENSIONS



USED WITH



1023200033

ECPIR-3P

Exigo Access Panel / Turbine Intercom

1023200030

ECPIR-P

Exigo Call Panel, PTT Button



2340110020

**SPA-M6-V2**

PA Panel Single with 6 zones, All Call, Dimmer, Flush



2340110021

**SPA-M6-D**

PA Panel Dual with 6 Zones, All Call, Dimmer, Flush



3005010150

**SPA-M1-V2**

PA Panel Single, All-Call, Flush



2340110019

**SPA-M1-D**

PA Panel Dual, All-Call, Flush



3005020001

**CTB-10**



3005020003

**CTB-20**

Control Unit



3005020022

**ETB-5**

Central Panel Mounted



3005020018

**ETB-10**

Central, Panel Mounted



3005020021

**ETB-10A**

Central incl. All-call 10 lines panel mounted



3005020019

**ETB-100**

Central, Panel Mounted



3005020020

**ETB-100A**

Central panel mounted 10 lines

